



Lohas Metal (Thailand) Co., Ltd.

Manufacture of Stainless Steel Products
The company is a member of the Thai Stainless Steel Industry Association

INSPECTION CERTIFICATE

Date of Issue :		12/1/2024		Reference No :		A11/24-JG-240112-1		Certificate No	C4561/0024
No.	Grade	Shape	Size (mm)	Tolerance	Length (M)	Weight (Kgs)	Condition	Heat/Cast No.	Remark
1	AISI316L	R	3.00	+0/-0.008	Coil	524.70	Wire	6U464	3-10154
2	AISI316L	R	3.00	+0/-0.008	Coil	515.80	Wire	6U464	✓ 4-10155
3	AISI316L	R	3.00	+0/-0.008	Coil	501.30	Wire	6U464	5-10156
4	AISI316L	R	3.00	+0/-0.008	Coil	508.70	Wire	6U464	6-10157

Chemical Composition(%)										Mechanical Properties			
No.	Elements		C	Si	Mn	P	S	Ni	Cr	Mo	TS (N/mm ²)		
	Spec	Min	Max	Max	Max	Max	Max	10.00	16.00	2.00			
		Max	0.030	1.00	2.00	0.045	0.0300	14.00	18.00	3.00			
1	Heat/Cast No 6U464		0.021	0.38	1.40	0.028	0.0001	10.03	16.13	2.03	650.00		

Remark : TS - Tensile Strength , YS - Yield Strength , RoA - Reduction of Area

Country of origin : Taiwan

D.O. No : 6810059

P.O. No : RM202312003

Quantity : 157.1 kg.

SIGNATURE :





Lark Metal (Thailand) Co., Ltd.

Address: 111/24 Jangthong Road, Bangkok, Thailand
Tel: 02-123-45678 Fax: 02-123-45678 Email: info@larkmetal.com

INSPECTION CERTIFICATE

Date of Issue :		12/1/2024		Reference No :		A11/24-JG-240112-1		Certificate No	C4561/0024
No.	Grade	Shape	Size (mm)	Tolerance	Length (M)	Weight (Kgs)	Condition	Heat/Cast No.	Remark
1	AISI316L	R	3.00	+0/-0.008	Coil	524.70	Wire	6U464	3-10154
2	AISI316L	R	3.00	+0/-0.008	Coil	515.80	Wire	6U464	✓4-10155
3	AISI316L	R	3.00	+0/-0.008	Coil	501.30	Wire	6U464	5-10156
4	AISI316L	R	3.00	+0/-0.008	Coil	508.70	Wire	6U464	6-10157

Chemical Composition(%)										Mechanical Properties			
No.	Elements		C	Si	Mn	P	S	Ni	Cr	Mo	TS (N/mm ²)		
	Spec	Min	Max	Max	Max	Max	Max	10.00	16.00	2.00			
		Max	0.030	1.00	2.00	0.045	0.0300	14.00	18.00	3.00			
1	Heat/Cast No 6U464		0.021	0.38	1.40	0.028	0.0001	10.03	16.13	2.03	650.00		



Remark : TS - Tensile Strength , YS - Yield Strength , RoA - Reduction of Area

Country of origin : Taiwan

D.O. No : 6810060

P.O. No : RM202410009

Quantity : 124.6kg.

SIGNATURE :





Date of Issue :		26/2/2024		Reference No :		C6/24-MRTH240229LOTUS		Certificate No	C4618/0024
No.	Grade	Shape	Size (mm)	Tolerance	Length (M)	Weight (Kgs)	Condition	Heat/Cast No.	Remark
1	AISI316L	R	13.00	h9	3.00	1,052.00	CD	6Z108307	17-10204

Chemical Composition(%)											Mechanical Properties					
No.	Elements		C	Si	Mn	P	S	Ni	Cr	Mo	Hardness (HRB)	TS (N/mm ²)	YS (N/mm ²)	EL (%)	RA (%)	
	Spec	Min	Max	Max	Max	Max	Max	10.00	16.00	2.00						
		Max	0.030	1.00	2.00	0.045	0.0300	14.00	18.00	3.00						
1	Heat/Cast No 6Z108307		0.02	0.600	1.470	0.033	0.0220	10.070	16.740	2.040	98.00	735.00	665.00	34.00	69.00	

CD- Cold Drawn

CDG - Cold Drawn with Rough Grinding

CG - Cold Drawn with Centerless Grinding

PL - Peeling

D.O. No: 68/0063

P.O. No: RM202501001

Quantity: 120.5 kg.

SIGNATURE: 





Lotus Metal (Thailand) Co., Ltd.

100% IRON AND STEEL PRODUCTS
THE IRON/STEEL INDUSTRY OF THAILAND

INSPECTION CERTIFICATE

Date of Issue :		21/2/2022		Reference No :		F4/22-JG-220607001		Certificate No	C3647/0022
No.	Grade	Shape	Size (mm)	Tolerance	Length (M)	Weight (Kgs)	Condition	Heat/Cast No.	Remark
1	AISI316L	R	4.00	h9	2.50	200.00	CD	6P410	1-9517

Chemical Composition(%)											Mechanical Properties			
No.	Elements		C	Si	Mn	P	S	Ni	Cr	Mo				
	Spec	Min	Max	Max	Max	Max	Max	10.00	16.00	2.00				
		Max	0.030	1.00	2.00	0.045	0.0300	14.00	18.00	3.00				
1	Heat/Cast No 6P410		0.027	0.57	1.49	0.026	0.0268	10.09	16.96	2.01	781			

Remark: TS - Tensile Strength, YS - Yield Strength, RoA - Reduction of Area

D.O. No: 68/0271

P.O. No: RM 202204021

Quantity: 50 Kgs.

SIGNATURE: S. N. M.





Lohas Metal (Thailand) Co., Ltd.

Address: 11/11 Moo 1, Bang Khen Sub-township, Bang Khen District, Bangkok 10140, Thailand
Tel: 02-010-1111, 02-010-1112, 02-010-1113, 02-010-1114, 02-010-1115, 02-010-1116, 02-010-1117, 02-010-1118, 02-010-1119, 02-010-1120

INSPECTION CERTIFICATE

Date of Issue : 10/1/2025				Reference No. : A6/25-JG-250110-3				Certificate No. : C5099/0025	
No.	Grade	Shape	Size (mm)	Tolerance	Length (M)	Weight (Kgs)	Condition	Heat/Cast No.	Remark
1	AISI316L	R	3.00	+0/-0.008	Coil	493.20	Wire	7A650	✓ 3-10645
2	AISI316L	R	3.00	+0/-0.008	Coil	532.50	Wire	7A650	4-10646

Chemical Composition(%)										Mechanical Properties				
No.	Elements		C	Si	Mn	P	S	Ni	Cr	Mo	RoHS Compliant			
	Spec	Min	Max	Max	Max	Max	Max	10.00	16.00	2.00				
		Max	0.030	1.00	2.00	0.045	0.0300	14.00	18.00	3.00				
1	Heat/Cast No 7A650		0.015	0.33	1.41	0.032	0.0068	10.02	16.17	2.01	657.00			

Remark : TS - Tensile Strength , YS - Yield Strength , RoA - Reduction of Area

Country of origin : Taiwan

D.O. No : 68/0272

P.O. No : RM 20241 0009

Quantity : 150.3 Ks.

SIGNATURE :



SIGNATURE: 



Lotus Metal (Thailand) Co., Ltd.

Address: 11/2 Moo 1, Bang Khen Sub-township, Bang Khen District, Bangkok 10710, Thailand
Tel: 02-010-1234, Fax: 02-010-5678, Email: info@lotusmetal.co.th, Website: www.lotusmetal.co.th

INSPECTION CERTIFICATE

Date of Issue : 11/2/2025				Reference No. : C2/25-MRTH250218LOTUS				Certificate No. : C5160/0025	
No.	Grade	Shape	Size (mm)	Tolerance	Length (M)	Weight (Kgs)	Condition	Heat/Cast No.	Remark
1	AISI316L	R	13.00	h9	3.00	496.00	CD	7D407106A	392-10698
									

Chemical Composition(%)												Mechanical Properties				
No.	Elements		C	Si	Mn	P	S	Ni	Cr	Mo		Hardness (HRB)	TS (N/mm ²)	YS (N/mm ²)	EL (%)	RA (%)
	Spec	Min	Max	Max	Max	Max	Max	10.00	16.00	2.00						
		Max	0.030	1.00	2.00	0.045	0.0300	14.00	18.00	3.00						
1	Heat/Cast No 7D407106A		0.021	0.610	1.620	0.033	0.0258	10.100	16.830	2.040		99.00	750.00	630.00	31.00	67.00

Remark : TS - Tensile Strength , YS - Yield Strength , RoA - Reduction of Area

CD- Cold Drawn

CDG - Cold Drawn with Rough Grinding

CG - Cold Drawn with Centerless Grinding

PL - Peeling

D.O. No : 68/0419

P.O. No : RM202503006

Quantity : 402 Ks.

SIGNATURE : 





© 2008 The Authors
Journal compilation © 2008 Blackwell Publishing Ltd, *Journal of Internal Medicine* 263: 105–112

Date of Issue : 10/1/2025				Reference No. : A6/25-JG-250110-3				Certificate No. : C5099/0025	
No.	Grade	Shape	Size (mm)	Tolerance	Length (M)	Weight (Kgs)	Condition	Heat/Cast No.	Remark
1	AISI316L	R	3.00	+0/-0.008	Coil	493.20	Wire	7A650	✓ 3-10645
2	AISI316L	R	3.00	+0/-0.008	Coil	532.50	Wire	7A650	✓ 4-10646

Chemical Composition(%)											Mechanical Properties				
No.	Elements		C	Si	Mn	P	S	Ni	Cr	Mo	TS (N/mm ²)				
	Spec	Min	Max	Max	Max	Max	Max	10.00	16.00	2.00					
		Max	0.030	1.00	2.00	0.045	0.0300	14.00	18.00	3.00					
1	Heat/Cast No 7A650		0.015	0.33	1.41	0.032	0.0068	10.02	16.17	2.01	657.00				

Country of origin : Taiwan

D.O. No: 68/0703

P.O. No. RM 202410009

Quantity: 202.4 Kg.

SIGNATURE: 

Lecture Material (Thursday, 22/04/2010)

INSPECTION CERTIFICATE

Date of Issue : 10/1/2025				Reference No. : A6/25-JG-250110-3				Certificate No. : C5098/0025	
No.	Grade	Shape	Size (mm)	Tolerance	Length (M)	Weight (Kgs)	Condition	Heat/Cast No.	Remark
1	AISI316L	R	2.50	h9	2.50	211.00	CD	6Z323	2-10644

Chemical Composition(%)											Mechanical Properties			
No.	Elements		C	Si	Mn	P	S	Ni	Cr	Mo	TS (N/mm ²)			
	Spec	Min	Max	Max	Max	Max	Max	10.00	16.00	2.00				
		Max	0.030	1.00	2.00	0.045	0.0300	14.00	18.00	3.00				
1	Heat/Cast No 6Z323		0.024	0.59	1.52	0.032	0.0244	10.10	16.94	2.05	850.00			

Remark : TS - Tensile Strength , YS - Yield Strength , RoA - Reduction of Area

D.O. No: 68/0968

P.O. No: RM 2024 M019

Quantity 51 kg

SIGNATURE: 

